

TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371

IF-G1

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

09/980428

INTERNATIONAL APPLICATION NO.
PCT/AU00/00623INTERNATIONAL FILING DATE
31 May 2000PRIORITY DATE CLAIMED
31 May 1999

TITLE OF INVENTION

Carry Basket Display

APPLICANT(S) FOR DO/EO/US

Paul Nelson

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (24) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
 - a. ☒ is attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ has been communicated by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☐ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
 - a. ☐ is attached hereto.
 - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
 - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ have been communicated by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
10. ☐ An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).
11. ☒ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☒ A copy of the International Search Report (PCT/ISA/210).

Items 13 to 20 below concern document(s) or information included:

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☒ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☐ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
20. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
21. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
22. ☒ Certificate of Mailing by Express Mail
23. ☐ Other items or information:

APPLICATION NO. (IF KNOWN, SEE 37 CFR

09/980428

INTERNATIONAL APPLICATION NO.
PCT/AU00/00623

ATTORNEY'S DOCKET NUMBER
IF-G1

24. The following fees are submitted:

BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :

- ☒ Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1040.00
- ☐ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$890.00
- ☐ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$740.00
- ☐ International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$710.00
- ☐ International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00

ENTER APPROPRIATE BASIC FEE AMOUNT =

\$1,040.00

Surcharge of \$130.00 for furnishing the oath or declaration later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).

\$0.00

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE
Total claims	22 - 20 =	2	x \$18.00
Independent claims	3 - 3 =	0	x \$84.00

\$36.00

\$0.00

Multiple Dependent Claims (check if applicable). ☐

\$0.00

TOTAL OF ABOVE CALCULATIONS =

\$1,076.00

☒ Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.

\$538.00

SUBTOTAL =

\$538.00

Processing fee of \$130.00 for furnishing the English translation later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).

\$0.00

TOTAL NATIONAL FEE =

\$538.00

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). ☒

\$40.00

TOTAL FEES ENCLOSED =

\$578.00

Amount to be:
refunded \$
charged \$

- a. ☒ A check in the amount of **\$578.00** to cover the above fees is enclosed.
- b. ☐ Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees. A duplicate copy of this sheet is enclosed.
- c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. **50-0617** A duplicate copy of this sheet is enclosed.
- d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card information should not be included on this form.** Provide credit card information and authorization on PTO-2038.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Margaret Polson
Patent Law Offices of Rick Martin, PC
416 Coffman Street
Longmont, CO 80501
303-651-2177

SIGNATURE

Margaret Polson

NAME

42,082

REGISTRATION NUMBER

DATE

11/29/01

CARRY BASKET DISPLAY**TECHNICAL FIELD**

This invention relates to an display unit for use with a shopping carry basket. It can be particularly useful for displaying advertisements but is not limited to such use and may
5 display other information or other aids.

BACKGROUND ART

It is known to use signs for advertisements on shopping trolleys such as shown in US patent document No. 4,922,639 in order to provide a means for businesses to advertise their particular products. In this way advertisements are not merely located along the aisle where
10 the product is located but attention can be brought to the shopper when using the shopping trolley. However, such a display unit as shown in US 4,922,639 merely provides two panels which fit on either side of the side wall of the shopping trolley basket and interfit using tabs and slots. The resulting display panel therefore co-extends with the side wall of the shopping trolley.

15 Another known advertising means is shown in published international application No. WO 98/12693 and includes an advertising support means mounted on the handle of a shopping trolley and extends upwards towards the shopper pushing the trolley. Such a mechanism requires a solid heavy construction and is only applicable to a shopping trolley.

The supermarket nowadays is often used similarly to a convenience store in that
20 shoppers may only wish to purchase under 12 items in order to obtain fresh produce each day or to fulfil a particular urgent requirement for a meal or function. As a result of this trend, a majority of supermarkets have an "express lane" for shoppers purchasing less than 12 items. Such shoppers do not require the use of a shopping trolley but make use of shopping carry baskets. One standard form is a molded plastic structure with a top opening

of 30 cm by 38 cm and a height of 21 cm. The side walls and base can include openings so as to minimise the material used in the structure and to assist in forming a pattern of ribs which strengthens the structure. However, due to the size and structure of the product normal advertising means are not adequate and generally not used. An advertising panel
5 co-extending with the side of the basket is clearly of a much smaller size than the usual sizing in a shopping trolley and can be covered by the first item that is placed in the carry basket.

It is therefore an object of the invention to provide a carry basket display means which overcomes these problems and makes a display unit that is readily viewable at all times.

Another aim of the invention is to save the shopper time and trouble involved in
10 locating the most commonly sought products of shoppers only requiring less than 12 items. Store aisles often have signs above the aisles to indicate some broad general categories of goods. However, such a system has its limitations including the lack of space on such signs and the lack of variability of the sign so as to bring different items to the shoppers attention during different weeks. Advertisers may also wish to make use of the display to emphasise
15 their product and therefore require the shopper to be directed to their product. The reliance on staff at the shop or supermarket in directing shoppers to the position of the required product is time consuming and often dissatisfying to the shopper in needing to locate staff.

It is therefore a further object of the invention to provide a display which overcomes some of the identified problems and allows ready use for display of advertisements or recipes
20 or other information such as a direction means to aid the shopper to the product.

DISCLOSURE OF INVENTION

In accordance with the invention there is provided a display unit, for use with a shopping carry basket, including a display panel for receiving and displaying an advertisement or other information or holding an electronic display or other tool, and a

connection member, supporting the display panel and connectable to the carry basket, with the display panel extending externally of the basket such that the carry basket display panel is viewable from above while still allowing a plurality of carry baskets to be nested.

The display panel can include a base member providing a base for the display of an advertisement or other information or other tool to be placed thereon. The display panel can further include clips or pouches to hold the information or to hold a tool such as a calculator or electronic store guide. In another form there is provided a cover plate interfitting with the base member and encapsulating the advertisement. The cover plate at least is transparent for viewing of the advertisement. The display panel may also be mounted so as to allow relative movement such as a flip-over baseplate to provide multiple surfaces for holding or displaying information or tools. In another form the whole display panel may rotate around the rim of the basket or the like to provide a plurality of useable sides.

The connection member can be connectable to an upper portion of a side wall of the carry basket. It may include a rim engaging portion for fitting over and engaging the rim of the carry basket to facilitate support of the display panel.

The rim engaging portion can be sized and shaped to extend the length and partially around the corners of one side of a shopping carry basket such that the interfitting with the entire side rim and the respective two corners of a basket provides a stable torsional positioning of the display panel on the basket. The connection member can include an extension head which extends along the side wall and is attached thereto to retain the display unit in position. Extension head can include protruding ears which interfit into openings of the side wall of the basket to provide a secure fitting of the display unit. Complementary advertisement display units will be mounted at either end of the shopping carry basket to extend externally away from the opening and provide a balanced symmetrical look and feel

to the carry basket while still allowing nesting of a plurality of carrying baskets on top of each other for storage. The display units may be mounted on any or all sides of the basket and may be of differing shapes to allow a contour complementary to a user's body or for particularly startling effect such a product shape.

- 5 The display unit of the invention for use with a shopping carry basket can include at least one display panel and a connection member supporting the display panels and connectable or connected to the carry basket such that the display panel at least partially extends away from the top opening of the carry basket when in position, a display panel able to receive a shop direction aid for facilitating the user to locate the required product in the
- 10 shop. The shop direction aid can be a printed location or aisle number of directory or map or an electronic display means. The display unit may have one display panel able to provide details of a product or plurality of products such as in the form of advertisements or recipes and a second display panel having a shop direction aid for assisting the user to locate particularly the products identified in the first display panel. Preferably the first and second
- 15 display panels allow ready replacement of product details and directional aid.

In one particular form of the invention, the advertisement display unit has a display panel surrounded by a horse-shoe cross section rim having a length corresponding to the length of one side of a carry basket and a size of one portion of the rim able to fit over the rim of the side of the carry basket and along its entire length. The connection member

20 formed by a substantially planar extension head extends from one outer side of the rim of the display unit overfitting the rim of the basket so as to co-extend with the inner side of the basket and be fixed thereto. Preferably the extension head includes ears which interfit with openings in the side wall to retain the display unit in position. The display unit can have

extensions of the rim sized and shaped to extend around and interfit with the corners of the rim of the carry basket when in position so as to provide torsional strength.

In another form of the invention, the display unit is made integral with the carry basket.

- 5 Preferably the display units when mounted on or made integral with the carry basket extend in a plane parallel to the base of the carry basket but coinciding with the open top of the carry basket. However, the display panels may extend upwardly to this plane at an acute angle to the top plane of the carry basket so that the display unit is more directioned towards the holder of the carry basket and therefore provides more of an impact of the shopping
- 10 display advertisement.

BRIEF DESCRIPTION OF DRAWINGS

In order that the invention may be more readily understood, an embodiment thereof will be described with way of example only with reference to the drawings, wherein:

- Figure 1 is a plan view of a display unit in accordance with a first embodiment of the
- 15 invention;

Figure 2 is a side inner view of the display unit of Figure 1; and

Figure 3 is a sectional view along section A-A of Figure 1.

MODE FOR CARRYING OUT THE INVENTION

- Referring to the drawings there is shown a display unit 11 for attachment to a carry
- 20 basket and comprising an elongated rectangular display panel 12 with around its entire perimeter an inverted U-shape rim 35. The rim 35 provides a strength to the display unit 11 and provides soft edges to the display panel 12 as well as interfitting means to the carry basket as will be further discussed later.

The display panel 12 is formed by a planar base member 22 extending from an inner side of a lower portion of the inverted U-shape rim 35 along its entire perimeter. A similar sizing planar cover plate 23 overlies the base member 22 within the confines of the rim 35 and is able to encapsulate an advertisement between the base member 22 and the cover plate 23. Other material can be included including store directories, recipes, specials and position references in the shop of particular articles. The upper cover plate 23 has a clear window to allow viewing of the advertisement therethrough. Also the base member could in another form receive a calculator or electronic store guide or the like within the rim 35.

The display unit 11 further includes a connection member 14 extending from one longitudinal side of the display panel. The connection member 14 has a combination of a substantially planar extension head 25 extending from an outer part of the inverted U of the rim 35 along one longitudinal side, and rim engaging portions 24 formed along the same longitudinal side of the inverted U-shape rim 35. The corner portions of the rim engaging portions 24 at the lateral ends thereof are extensions curving away from the display panel 12 and corresponding to the corner rims 24A of the carry basket such that the longitudinal rim engaging portions 24 engages along one entire side of the carry basket and around the corresponding end corners of the carry basket rim. The extension head 25 extends along the inner surface of the side of the carry basket. In this way the connection member 14 is supported by the top rim 24A of the side of the carry basket together with the extension head 25 co-extending with the side wall (not shown). Protruding ears 26 at transverse ends of the extension head 25 are sized, shaped and relatively positioned to the rim engaging portions 24 to interfit into openings in the side wall to provide a tab and slot interfitting thereto. The protruding ears 26 are in a plane partially inward of the plane of the extension head 25 so as to facilitate the slotting in and through the openings of the side wall of the

carry basket. The protruding ears 26 must therefore be a critical distance below the upper rim engaging portion 24 corresponding with the vertical distance from the top rim 24A of the basket and the slot openings (not shown) of the basket to receive the protruding ears 26.

In one particular preferred form the display panel 12 is of a size of 280 mm x 50 mm
5 so that in combination with the thickness of the rim 35 can co-extend with the standard 30 cm long side wall of the carry basket. The length of the extensions of the rim from the outer most portion of the rim 35 is 100 mm is sufficient to provide contact around the corner of the basket and improve the torsional rigidity of the display apparatus.

It should be understood that the above description is of a particular preferred
10 embodiment of the invention. Clearly a person skilled in the art will understand variations of the invention without any inventive element. The scope of the invention is inclusive of the variations that will be readily recognised by a person skilled in the art.

CLAIMS

1. A display unit, for use with a shopping carry basket, including a display panel for receiving and displaying an advertisement or other information or holding an electronic display or other tool, and a connection member, supporting the display panel and
5 connectable to the carry basket, such that in use the display panel extends outwardly from the basket and is viewable from above while allowing a plurality of carry baskets to be nested.
2. A display unit according to claim 1 including a base member providing a base for the display of an advertisement or other information or other tool to be placed thereon and
10 including a cover plate interfitting with the base member and encapsulating an advertisement with at least a portion of the cover plate being transparent for viewing of the advertisement.
3. A display unit according to claim 1 including clips or pouches to hold the information or to hold a tool such as a calculator or electronic store guide.
4. A display unit according to claim 1 wherein the connection member provides
15 movement relative to the basket to provide multiple surfaces for holding or displaying information or tools.
5. A display unit according to claim 1 wherein the connection member is pivotally mountable on a basket to allow rotation of the display panel.
6. A display unit according to claim 1 including the connection member able to connect
20 to an upper portion of a side wall of the carry basket.
7. A display unit according to claim 1 including a rim engaging portion for fitting over and engaging the rim of the carry basket to facilitate support of the display panel.
8. A display unit according to claim 7 wherein the rim engaging portion is sized and shaped to extend the length and partially around the corners of one side of a shopping carry

basket such that the interfitting with the entire side rim and the respective two corners of a basket provides a stable torsional support of the display panel on the basket.

9. A display unit according to claim 1 including a connection member having an extension head which extends along the side wall of the basket and attaches thereto to retain
5 the display unit in position.
10. A display unit according to claim 9 wherein the extension head includes protruding ears which interfit into openings of the side wall of the basket to provide a secure fitting of the display unit.
11. A display unit according to claim 1 including complementary advertisement display
10 units mounted at either end or side of the shopping carry basket to extend externally away from the opening and provide a balanced symmetrical look and feel to the carry basket while still allowing nesting of a plurality of carrying baskets on top of each other for storage.
12. A display unit for use with a shopping carry basket having at least one display panel and a connection member supporting the display panels and connectable to or integral with
15 the carry basket such that the display panel at least partially extends away from the top opening of the carry basket when in position, a display panel able to receive an advertisement or a shop direction aid for facilitating the user to locate the required product in the shop.
13. A display unit according to claim 12 including a shop direction aid with a printed location or aisle number directory map or an electronic display means.
- 20 14. A display unit according to claim 12 including a display panel able to provide details of a product or plurality of products such as in the form of advertisements or recipes and a second display panel having a shop direction aid for assisting the user to locate the products identified in the first display panel.

15. A display unit according to claim 12 including a first and second display panels allowing display of product details and directional aid.
16. A display unit including a display panel surrounded by a horse-shoe cross section rim having a length corresponding to the length of one side of a carry basket and a size of one
5 portion of the rim able to fit over the rim of the side of the carry basket and along a substantial part of its length.
17. A display unit according to claim 16 including a connection member formed by a substantially planar extension head extending from one outer side of the rim of the display unit and overfitting the rim of the basket so as to co-extend with the inner side of the basket
10 and be fixable thereto.
18. A display unit according to claim 16 including an extension head with ears which interfit with openings in the side wall of the basket to retain the display unit in position.
19. A display unit according to claim 16 including extensions of the rim sized and shaped to extend around and interfit with the corners of the rim of the carry basket when in position
15 so as to provide torsional strength.
20. A display unit according to claim 1 wherein the display unit is made integral with the carry basket.
21. A display unit according to claim 20 including the display units when mounted on or made integral with the carry basket extending in a plane parallel to the base of the carry
20 basket and co-extending with the open top of the carry basket.
22. A display unit according to claim 21 wherein the display panels extend outwardly to the plane of the sides of the basket at an acute angle to the top plane of the carry basket so that the display unit is facing upwards relative to the holder of the carry basket.




FIG 1




FIG 2




FIG 3

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)
Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63) <input checked="" type="checkbox"/> Declaration Submitted with Initial Filing OR <input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)	Attorney Docket Number	
	First Named Inventor	Paul Nelson
	COMPLETE IF KNOWN	
	Application Number	/
	Filing Date	
	Group Art Unit	
	Examiner Name	

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.

CARRY BASKET DISPLAY

the specification of which (Title of the invention)
☐ is attached hereto
OR
☒ was filed on (MM/DD/YYYY) **05/31/2000** as United States Application Number or PCT International
Application Number **PCT/AU00/00623** and was amended on (MM/DD/YYYY) (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
PQ 0733	Australia	05/31/1999	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)

☐ Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)
Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)
PCT/AU00/00623	05/31/2000	

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

☒ Customer Number 23,996

OR

☒ Registered practitioner(s) name/registration number listed below

Name	Registration Number	Name	Registration Number
Ralph Martin	32267		
Margaret L Polson	42082		

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.

Direct all correspondence to: ☐ Customer Number OR ☒ Correspondence address below

Name	Ms M Polson				
Address	Patent Law Offices of Rick Martin, PC				
Address	416 Coffman Street				
City	Longmont	State	CO	ZIP	80501
Country	USA	Telephone	(303) 651 2177	Fax	(303) 678 9953

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:

☐ A petition has been filed for this unsigned inventor

Given Name (first and middle (if any))		Family Name or Surname	
Paul		Nelson	
Inventor's Signature	<i>Paul Nelson</i>		Date
			27 November 2001
Residence: City	Mordialloc	State	Vic
		Country	Australia
		Citizenship	AU
Post Office Address	211 Beach Road		
Post Office Address			
City	Mordialloc	State	Vic
		ZIP	3195
		Country	Australia

☐ Additional inventors are being named on the _____ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto